

# Wissenschaftliche Publikationen

## Dr. med. Henning W. Voitge

---

I. Originalarbeiten	2
II. Reviews	5
III. Buchkapitel	6
IV. Publierte Abstracts	7



**Dr. med. Henning W. Voitge**

Facharzt für Innere Medizin,  
hausärztliche Versorgung



## I. Originalarbeiten

([www.ncbi.nlm.nih.gov/entrez/query.fcgi?DB=pubmed](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?DB=pubmed) )

1. Rauch R, Schönau E, Woitge H, Remer T, Seibel MJ: Urinary excretion of hydroxy-pyridinium cross-links of collagen reflects skeletal growth velocity in normal children. *Exp Clin Endocrinol* 102, 94-97, 1994.
2. Seibel MJ, Woitge H, Scheidt-Nave C, Leidig-Bruckner G, Duncan A, Nicol P, Ziegler R, Robins SP: Urinary hydroxypyridinium crosslinks of collagen in population-based screening for overt vertebral osteoporosis: Results of a pilot study. *J Bone Min Res* 9: 1433 - 1440, 1994.
3. Robins SP, Woitge H, Hesley R, Ju J, Seyedin S, Seibel MJ: Direct, enzyme-linked immunoassay for urinary deoxypyridinoline as a specific marker for measuring bone resorption. *J Bone Mineral Res* 9: 1643 - 1649, 1994.
4. Pecherstorfer M, Zimmer-Roth I, Schilling T, Woitge HW, Schmidt H, Baumgartner G, Thiebaud D, Ludwig H, Seibel MJ: The diagnostic value of urinary pyridinium cross-links of collagen, serum total alkaline phosphatase, and urinary calcium excretion in neoplastic bone disease. *J Clin Endocrinol Metabolism* 80: 97 - 103, 1995.
5. Rauch F, Seibel MJ, Woitge H, Kruse K, Schönau E: Increased urinary excretion of collagen crosslinks in girls with Ullrich-Turner syndrome. *Acta Paediatr* 84: 66-69, 1995.
6. Scharla SH, Scheidt-Nave C, Leidig G, Woitge H, Wuster C, Seibel MJ, Ziegler R: Lower serum 25-hydroxyvitamin D is associated with increased bone resorption markers and lower bone density at the proximal femur in normal females: a population-based study. *Exp Clin Endocrinol Diabetes* 104: 289-292, 1996.
7. Woitge HW, Seibel MJ, Ziegler R: Comparison of total and bone-specific alkaline phosphatase in patients with nonskeletal disorder or metabolic bone diseases. *Clin Chem* 42: 1796 - 1804, 1996
8. Pfeilschifter J, Scheidt-Nave C, Leidig-Bruckner G, Woitge HW, Blum WF, Wuster C, Haack D, Ziegler R: Relationship between circulating insulin-like growth factor components and sex hormones in a population-based sample of 50- to 80-year-old men and women. *J Clin Endocrinol Metab* 81: 2534 - 2540, 1996.
9. Seibel MJ, Woitge HW, Pecherstorfer M, Karmatschek M, Horn E; Ludwig H, Armbruster FP, Ziegler R: Serum immunoreactive bone sialoprotein as a new marker of bone turnover in metabolic and malignant bone disease. *J Clin Endocrinol Metab* 81: 3289-3294, 1996.



10. Woitge HW, Müller M, Bärtsch P, Friedmann B, Wüster C, Seibel MJ, Ziegler R: Physical activity increases bone formation and decreases bone resorption as assessed by biochemical markers of bone turnover. *Clin Lab* 42, 1079-1083, 1996.
11. Rauch F, Rauch R, Woitge HW, Seibel MJ, Schönau E: Urinary immunoreactive deoxy-pyridinolin in children and adolescents: variations with age, sex and growth velocity. *Scand J Clin Lab Invest* 56: 715 - 719, 1997.
12. Karmatschek M, Maier I, Seibel MJ, Woitge HW, Ziegler R, Armbruster FP: Improved purification of human bone sialoprotein and development of a homologous radioimmunoassay. *Clin Chem* 43: 2076 - 2082, 1997.
13. Woitge W, Seibel MJ: More on total and bone specific alkaline phosphatase. *Clin Chem* 43, 1671 -1672, 1997.
14. Pecherstorfer M, Seibel MJ, Woitge HW, Horn E, Schuster J, Neuda J, Sagaster P, Kohn H, Bayer P, Thiebaud D, Ludwig H: Bone resorption in multiple myeloma and in monoclonal gammopathy of undetermined significance: quantification by urinary pyridinium cross-links of collagen. *Blood* 90, 3743-3750, 1997.
15. Woitge HW, Scheidt-Nave C, Kissling C, Leidig-Bruckner G, Meyer K, Grauer A, Scharla SH, Ziegler R, Seibel MJ: Seasonal variation of biochemical indexes of bone turnover: results of a population-based study. *J Clin Endocrinol Metab* 83: 68-75, 1998.
16. Seibel MJ, Woitge HW, Farahmand I, Oberwittler H, Ziegler R: Automated and manual assays for urinary crosslinks of collagen: which assay to use? *Exp Clin Endocrinol Diabetes* 106: 143-148, 1998.
17. Seibel MJ, Woitge HW, Auler B, Kissling C, Ziegler R: Urinary free Deoxypyridino-line: comparison of a new automated chemiluminescence immunoassay with HPLC and ELISA techniques. *Clin Lab* 44: 129- 135, 1998.
18. Woitge HW, Friedmann B, Suttner S, Farahmand I, Muller M, Schmidt-Gayk H, Baertsch P, Ziegler R, Seibel MJ: Changes in bone turnover induced by aerobic and anaerobic exercise in young males. *J Bone Mineral Res* 13: 1797 – 1804, 1998.
19. Rosano TG, Peaston RT, Bone HG, Woitge HW, Francis RM, Seibel MJ: Urinary free deoxypyridinoline by chemiluminescence immunoassay: analytical and clinical evaluation. *Clin Chem* 44: 2126-2132, 1998.



20. Li Y, Woitge HW, Kissling C, Lang M, Oberwittler H, Karmatschek M, Armbruster FP, von Schickfus AR, Ziegler R, Seibel MJ: Biological variability of serum immunoreactive bone sialoprotein. *Clin Lab* 44: 553-555, 1998.
21. Woitge HW, Pecherstorfer M, Li Y, Keck AV, Horn E, Ziegler R, Seibel MJ: Novel serum markers of bone resorption: clinical assessment and comparison with established urinary indices. *J Bone Mineral Res* 14: 792-801, 1999.
22. Sillem M, Parviz M, Woitge HW, Kiesel L, Ulrich U, von Holst T, Runnebaum B, Ziegler R, Seibel MJ: Add-back medrogestone does not prevent bone loss in premenopausal women treated with goserelin. *Exp Clin Endocrinol Diabetes* 107: 379-385, 1999.
23. Juraschek M, Seibel MJ, Woitge HW, Krempien B, Bauss F: Association between histomorphometry and biochemical markers of bone turnover in a longitudinal rat model of parathyroid hormone-related peptide (PTHrP)-mediated tumor osteolysis. *Bone* 26: 475 – 483, 2000.
24. Woitge HW, Oberwittler H, Heichel S, Grauer A, Ziegler R, Seibel MJ: Short- and long-term effects of ibandronate treatment on bone turnover in Paget's disease of bone. *Clin Chem* 46: 684 - 690, 2000.
25. Woitge HW, Kream BE: Calvariae from fetal mice with a disrupted *Igf1* gene have reduced rates of collagen synthesis but maintain responsiveness to glucocorticoids. *J Bone Miner Res* 15:1956-1964, 2000.
26. Woitge HW, Knothe A, Witte K, Schmidt-Gayk H, Ziegler R, Lemmer B, Seibel MJ: Circannual rhythms and interactions of vitamin D metabolites, parathyroid hormone, and biochemical markers of skeletal homeostasis: a prospective study. *J Bone Mineral Res* 15: 2443 – 2450, 2000.
27. Woitge HW, Pecherstorfer M, Horn E, Keck AV, Diel IJ, Bayer P, Ludwig H, Seibel MJ: Serum bone sialoprotein as a marker of tumor burden and neoplastic bone involvement and as a prognostic factor in multiple myeloma. *Br J Cancer* 84:344-351, 2001.
28. Scheidt-Nave C, Bismar H, Leidig-Bruckner G, Woitge H, Seibel MJ, Ziegler R, Pfeilschifter J: Serum interleukin-6 is a major predictor of bone loss in women specific to the first decade past menopause. *J Clin Endocrinol Metab* 86:2032-2042, 2001.
29. Halleen JM, Atatalo A, Janckila J, Woitge HW, Seibel MJ, Vaenaennen K : Enzymatically active serum tartrate-resistant acid phosphatase 5b is a specific marker of bone resorption. *Clin Chem* 47:597-600, 2001.



30. Woitge HW, Horn E, Keck AV, Auler B, Seibel MJ, Pecherstorfer M: Biochemical markers of bone formation in patients with plasma cell dyscrasias and benign osteoporosis. *Clin Chem* 47:686-693, 2001.
31. Woitge HW, Harrison JR, Ivkovic A, Krozowski Z, Kream BE: Cloning and in vitro characterization of Col1a1-11 $\beta$ -hydroxysteroid dehydrogenase type 2 transgenes as models for osteoblast-selective inactivation of natural glucocorticoids. *Endocrinology* 142:1341-1348, 2001.
32. Sher LB, Woitge HW, Adams DJ, Gronowicz GA, Krozowski Z, Harrison JR, Kream BE: Transgenic expression of 11 $\beta$ -hydroxysteroid dehydrogenase type 2 in osteoblasts reveals an anabolic role for endogenous glucocorticoids in bone. *Endocrinology* 142: 922-929, 2004.
33. Meier C, Woitge HW, Witte K, Lemmer B, Seibel MJ: Supplementation with oral vitamin D3 and calcium during winter prevents seasonal bone loss: a randomized controlled open-label prospective trial. *J Bone Miner Res* 19:1221-1230, 2004.
34. Liu F, Woitge HW, Braut A, Kronenberg MS, Lichtler AC, Mina M, Kream BE: Expression and activity of osteoblast-targeted Cre recombinase transgenes in murine skeletal tissues. *Int J Dev Biol* 48:645-653, 2004.

## II. Reviews

1. Seibel MJ, Woitge HW, Ziegler R: Biochemische Marker des Knochenstoffwechsels. I: Grundlagen. *Klin Lab* 39: 717-727, 1993.
2. Seibel MJ, Woitge H, Ziegler R: Biochemische Marker des Knochenstoffwechsels. II: Klinische Anwendung. *Klin Lab* 39: 839 - 850, 1993.
3. Woitge H, Seibel MJ, Ziegler R: Knochenstoffwechsel. *Biochemie und klinisch-chemische Diagnostik*. *Klin Chemie Mitteil* 24: 309-331, 1993.
4. Seyfried C, Seibel MJ, Woitge HW, Pecherstorfer M, Ziegler R: Biochemische Marker der Knochenstoffwechsels bei Knochenmetastasen. *Klin Lab* 1996.
5. Seibel MJ, Woitge HW, Pecherstorfer M, et al. Serum immunoreactive bone sialo-protein as a new marker of bone turnover in metabolic and malignant bone disease. *Bone Depeche* 3: 49-52, 1997.
6. Seibel MJ, Woitge HW: Biochemical Markers of Bone Metabolism – Update 1999. Part I: Basic Principles. *Clin Lab* 45: 237 – 256, 1999.



7. Seibel MJ, Woitge HW: Basic principles and clinical applications of biochemical markers of bone metabolism: biochemical and technical aspects. *J Clin Densitometry* 2: 299-321, 1999.
8. Woitge HW, Seibel MJ: Molecular markers of bone and cartilage metabolism. *Curr Opin Rheumatol* 11: 218-25, 1999.
9. Woitge HW, Seibel MJ: Risk Assessment for Osteoporosis: Biochemical Markers of Bone Turnover; Bone Resorption Indices. *Clin Lab Med* 20, 503-526, 2000.
10. Woitge HW, Seibel MJ: Biochemical markers to survey bone turnover. *Rheum Dis Clin North America* 27:49-80, 2001.
11. Harrison JR, Woitge HW, Kream BE: Genetic approaches to determine the role of glucocorticoid signaling in osteoblasts. *Endocrine* 17: 37-42, 2002.
12. Seibel MJ, Meier C, Woitge H, Witte K, Lemmer B: Seasonal variation of bone turnover? *J Bone Miner Res* 19:168-169, 2004.

### III. Buchkapitel

1. Seibel MJ, Woitge HW, Karmatschek M, Armbruster FP, Ziegler R: A new radioimmuno-assay for bone sialoprotein, a potential marker of bone turnover. In: Calcium regulating hormones and markers of bone metabolism: measurement and interpretation. Schmidt-Gayk H; Blind E, Roth H.-J., (eds.), Clin Lab Publications, Heidelberg, 1997, pp 199 - 202.
2. Woitge HW, Ziegler R: Alkohol und Endokrine Drüsen. In: MV Singer, S Teysen (eds.) Alkohol und Alkoholfolgekrankheiten. Springer Verlag, Heidelberg 1999, pp 363 - 382.
3. Woitge HW, Seibel MJ: Tumorphyperkalzämie. In: Klinische Endokrinologie und Stoffwechsel. Nawroth PP, Ziegler R (eds.). Springer Publ., Heidelberg, 2000.
4. Woitge, HW, Seibel MJ: Molekulare Marker bei rheumatischen Erkrankungen. Molekulare Medizin, Band 13. Ruckpaul M, Ganten N (eds.), Springer Publ., Heidelberg, New York, 2001.
5. Woitge HW, Ziegler R: Alkohol und Endokrine Drüsen. In: MV Singer, S Teysen (eds.) Alkohol und Alkoholfolgekrankheiten. Grundlagen – Diagnostik - Therapie. Springer Verlag, Heidelberg 2001.
6. Fohr B, Woitge HW, Seibel MJ: Bone Sialoprotein. In: Biochemical markers of bone turnover. R. Eastell (ed.), Martin Dunitz Publishers, London, 2001.



7. Fohr B, Woitge HW, Seibel MJ: Molecular Markers of Bone Turnover. In: Osteoporosis: Pathophysiology and Clinical Management. Orwoll ES and Bliziotes M (eds.) Humana Press, Totowa, 2001.
8. Fohr B, Woitge HW, Seibel MJ: Biochemical Markers of Bone Turnover in Metastatic Bone Disease. In: Bisphosphonates in Oncology. Diel IJ, Coleman RE, Hortobagyi GN, Possinger K (eds.). Springer Verlag, Heidelberg 2001.

#### **IV. Publierte Abstracts**

Über 50 Abstracts (Liste kann auf Wunsch zur Verfügung gestellt werden)